

CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 09/19/2020

 Analysis ID No.
 201314

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Customer No.
 20201385

 Page No.
 Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Steding & Sons Mercantile	Shangri La La Kratom Powder
Address:	Submitted Sample Lot:
13200 Pond Springs Rd, E39; Austin, TX 78729 USA	Not Provided
Phone Number:	Submitted Sample Description:
512-704-3680	1 Oz Powdered Leaf; Arrived/Stored at Room Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
August Day / august@1836kratom.com	Kratom Plant Matter / Powder

HEAVY METALS					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	717.5 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	14.1 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	45.8 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	74.8 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	10 ppb	NMT 200,000 ppb	1,879.0 ppb	PASS

MICROBIOLOGICAL					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	3,230 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	6,080 CFU/gm	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/25g	Absent	ND	PASS
Salmonella	Isolation Agar	1 CFU/25g	Absent	ND	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories	Santé Sample ID: 201314
8201 East Riverside Drive, STE 650	Receipt Date: 09/11/2020 / 2:00 PM / S. ORTEGA
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 09/11/2020

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Microbiological specifications follow AHPA guidelines for botanical ingredients.

©2020 Santé Laboratories, LLC – All Rights Reserved

VERSION HISTORY				
Version	Effective Date	Summary of Changes		
00	09/19/2020	Initial Release		



CERTIFICATE OF ANALYSIS

STATUS: RELEASED REVISION: 00 DATE: 09/19/2020

 Analysis ID No.
 201314

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Customer No.
 20201385

 Page No.
 Page 2 of 2

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY					
DocuSigned by:					
	Brian R Sloat	9/19/2020	DD-MM-YY		
Brian Sloat, Ph.D.	51277B7C6FDA460	Date			
Chief Scientific Officer / Quality Manager					
Santé Laboratories					