

# Certificate of Analysis



## Customer Information

**Client:** Steding and Sons Mercantile  
**Attention:** (737) 895-2303  
**Address:** 1501 Panther Loop #7A  
 Pflugerville, TX 78660

## Testing Facility

**Lab:** Cora Science, LLC  
**Address:** 8000 Anderson Square, STE 113  
 Austin, Texas 78757  
**Contact:** info@corascience.com  
 (512) 856-5007

## Sample Image(s)



## Sample Information

**Name:** Lightspeed Laserbrain (Instant Coffee)  
**Lot Number:** AFCFLB0001  
**Description:** Beverage: Drink Mix  
**Condition:** Good  
**Job ID:** ISO01588  
**Sample ID:** I03128  
**Received:** 20DEC2023  
**Completed:** 24DEC2023  
**Issued:** 26DEC2023

## Test Results

### Microbiological Examination

Method Code: T005

Tested: 22DEC2023 | 1134

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	40	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	Not Detected	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

## Additional Report Notes

N/A

## Revision History

rev 00 - Initial release.

## Abbreviations

**ID:** identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

# Authorization

---

This report has been authorized for release from Cora Science by:

<b>Signature:</b>	<i>Tyler West</i>	<b>Position:</b>	Laboratory Director
<b>Name:</b>	Tyler West	<b>Department:</b>	Management
		<b>Date:</b>	26DEC2023